




## **Tunnel type Demagnetizer Horizontal Shape**



#### **Application**

Demagnetizer is required to eliminate Residual Magnetism of work piece, which is generated due to manufacturing process like turning milling grinding operations and due to contact with magnet also. Sizes and models are varying as per requirement. Magnetism can be verified by GAUSS METER.

### How to operate

- a) Provide suitable supply to demagnetizer
- b) Operate by foot switch & also operate by PLC
- c) The work piece is require to kept on surface and move it from one end to another end.

#### How to check performance

- a) Check residual magnetism of work piece BEFORE demagnetizing.
- b) Demagnetizing it as per above instruction
- c) Check residual magnetism of work piece by Residual Field meter (Gauss Meter)AFTER demagnetizing

## Area of application

Tool Room and standard Room, Press Shop, Assembly line etc..

## Advantages

Increase tool life. Increase productivity. Increase quality.





# Tunnel type Demagnetizer Horizontal Shape

#### **Available Sizes**

Code No.	Size (LxWxH)
023-04-01	160 x 300 x 100 mm
023-04-02	290 x 90 x 100 mm
023-04-03	250 x 500 x 250 mm
023-04-04	360 x 650 x 350 mm
023-04-05	360 x 700 x 350 mm
023-04-06	100 x 600 x 250 mm

## **Applications**



